



Built for the coast.
Designed for the long term.

Architectural exterior materials supplied directly to architects and contractors across the Southeast.

Tropical hardwoods | Thermally modified timber | Cedar | Ipe deck tiles

Pricing and availability subject to confirmation. Freight, tax and delivery quoted separately.




Angelim Pedra

EXTERIOR DECKING

Warm brown hardwood with expressive grain for natural exterior deck surfaces.

- Distinctive mineral flecks and warm brown grain give each board individual character.
- Durable heartwood naturally resists white- and brown-rot fungi.
- Good natural resistance to dry-wood termites.
- Janka hardness: approximately 1,720 lbf.



DIMENSIONS & PRICING

USD

Profile / grade	Dimensions	Quantity	Unit price
Standard stock	5/4 x 6 x 8'-14'	3,100 LF	\$1.95 / LF
Shorts	5/4 x 6 x 5'	425 LF	\$0.85 / LF

Prices and availability subject to confirmation. Freight, tax and delivery quoted separately.



Garapa

EXTERIOR DECKING

Golden tones and a quiet grain pattern for bright, natural deck designs.

- Light honey-gold tones create a bright, natural deck surface.
- Fine texture gives broad deck areas a clean, refined appearance.
- Naturally durable heartwood supports long-term exterior use.
- Generally easier to machine than denser hardwoods such as Ipe.
- Janka hardness: approximately 1,700 lbf.



ILLUSTRATIVE RENDERING

DIMENSIONS & PRICING

USD

Profile / grade	Dimensions	Quantity	Unit price
Standard stock	5/4 x 4 x 8'-20'	11,200 LF	\$1.85 / LF
Shorts	5/4 x 4 x 6'	516 LF	\$1.55 / LF
Shorts	5/4 x 6 x 4'-7'	497 LF	\$1.95 / LF

Prices and availability subject to confirmation. Freight, tax and delivery quoted separately.




Ipe

DECKING & DIMENSIONAL BOARDS

Deep brown timber offered in short lengths, dimensional boards and choice-grade stock.

- Exceptional surface hardness for demanding deck use: approximately 3,680 lbf Janka.
- Highly durable heartwood with strong natural resistance to rot and termites.
- ASTM E84 board testing has demonstrated Class A flame-spread performance.
- Rich brown tones bring a substantial, refined look to outdoor architecture.



DIMENSIONS & PRICING

USD

Profile / grade	Dimensions	Quantity	Unit price
Shorts	1 x 4 x 3'-5'	1,300 LF	\$0.99 / LF
Shorts	1 x 4 x 6'	12,660 LF	\$1.99 / LF
Shorts	1 x 4 x 7'	15,000 LF	\$1.99 / LF
Shorts	1 x 6 x 3'	5,500 LF	\$1.99 / LF
Shorts	5/4 x 6 x 3'-4'	8,100 LF	\$2.50 / LF
Shorts	5/4 x 6 x 5'	5,000 LF	\$3.25 / LF
Shorts / grooved	5/4 x 6; length unlisted	7,000 LF	\$3.50 / LF
Shorts	2 x 4 x 3'-5'	27,000 LF	\$2.25 / LF
Shorts	2 x 6 x 3'-4'	29,000 LF	\$2.50 / LF
Choice grade	1 x 6 x 8'-20'	60,000 LF	\$2.95 / LF
Choice grade	5/4 x 6; length unlisted	14,000 LF	\$4.99 / LF

Prices and availability subject to confirmation. Freight, tax and delivery quoted separately.

ARCHITECTS & CONTRACTORS

TRADE INQUIRIES | indy ltd@gmail.com



Ipe

DETAIL STOCK | RAILS & SCREENS

Small Ipe sections for fabricated balusters, screens and exterior architectural details.

- Dense, tough timber for balusters, rails and exposed architectural details.
- Naturally durable heartwood resists decay and termite attack.
- Small 2 x 2 sections create slender screens and clean, repeating architectural lines.
- Janka hardness: approximately 3,680 lbf.



DIMENSIONS & PRICING

USD

Profile / grade	Dimensions	Quantity	Unit price
2 x 2 shorts	2 x 2 x 3'	10,320 LF	\$0.79 / LF
2 x 2 shorts	2 x 2 x 4'-5'	25,000 LF	\$1.35 / LF
2 x 2 shorts	2 x 2 x 6'-7'	24,000 LF	\$1.75 / LF

Prices and availability subject to confirmation. Freight, tax and delivery quoted separately.

ARCHITECTS & CONTRACTORS

TRADE INQUIRIES | indyltd@gmail.com




Ipe Deck Tiles

MODULAR PATIOS & TERRACES

Ipe tile stock in five formats, with smooth and face-ribbed listings kept separate.

- Hard, wear-resistant Ipe surfaces: approximately 3,680 lbf Janka.
- Naturally durable heartwood suits open-air patios and terraces.
- Five tile formats support varied layouts, borders and terrace patterns.
- Face-ribbed options add texture and visual depth.



DIMENSIONS & PRICING

USD

Profile / grade	Dimensions	Quantity	Unit price
Tiles	38 mm x 12 x 12	7,500 pcs	\$3.45 / pc
Tiles	41 mm x 24 x 48	76 pcs	\$49.00 / pc
Tiles	41 mm x 24 x 72	140 pcs	\$69.00 / pc
Face-ribbed	38 mm x 24 x 24	458 pcs	\$25.00 / pc
Face-ribbed	38 mm x 40 x 40	977 pcs	\$40.00 / pc

Prices and availability subject to confirmation. Freight, tax and delivery quoted separately.



Keruing

EXTERIOR DECKING

Broad-format hardwood boards for exterior deck layouts and natural timber surfaces.

- Strong, dense hardwood brings a substantial timber feel to deck surfaces.
- Broad 5/4 x 8 boards create wide, visually simple deck lines.
- Warm brown to red-brown grain adds natural depth and character.
- Janka hardness: approximately 1,520 lbf.



ILLUSTRATIVE RENDERING

DIMENSIONS & PRICING

USD

Profile / grade	Dimensions	Quantity	Unit price
Standard stock	5/4 x 8 x 8'-10'	4,114 LF	\$1.75 / LF

Prices and availability subject to confirmation. Freight, tax and delivery quoted separately.

ARCHITECTS & CONTRACTORS

TRADE INQUIRIES | indy ltd@gmail.com



Muiracatiara

TIGERWOOD | EXTERIOR DECKING

Distinctive striped grain brings visual movement and character to exterior deck designs.

- Bold dark striping creates a distinctive statement deck surface.
- Hard, dense heartwood offers good resistance to everyday deck wear.
- Naturally durable timber with resistance to insect attack.
- Janka hardness: approximately 1,850 lbf.



DIMENSIONS & PRICING

USD

Profile / grade	Dimensions	Quantity	Unit price
Standard stock	5/4 x 6 x 8'-20'	5,800 LF	\$1.99 / LF

Prices and availability subject to confirmation. Freight, tax and delivery quoted separately.

ARCHITECTS & CONTRACTORS

TRADE INQUIRIES | indy ltd@gmail.com




Red Cumaru

EXTERIOR DECKING

Rich red-brown hardwood stock in long-length and fixed 16-foot decking offerings.

- Very hard, dense timber for demanding exterior deck surfaces.
- Natural heartwood resistance to white- and brown-rot fungi and termites.
- Class A flame-spread performance has been documented in ASTM E84 product testing.
- Warm red-brown tones and interlocked grain add depth to exterior spaces.
- Janka hardness: approximately 3,200 lbf.



DIMENSIONS & PRICING

USD

Profile / grade	Dimensions	Quantity	Unit price
Standard stock	1 x 6 x 8'-20'	4,100 LF	\$3.95 / LF
Fixed length	5/4 x 6 x 16'	1,744 LF	\$4.25 / LF

Prices and availability subject to confirmation. Freight, tax and delivery quoted separately.



Thermo Ash

THERMALLY MODIFIED DECKING

Thermally modified ash stock in narrow and wide decking formats.

- Heat treatment improves resistance to fungal decay for exterior decking.
- Reduced moisture uptake helps limit shrinkage, swelling and cupping.
- Rich brown tones highlight ash's distinctive grain.
- Narrow and wide board formats offer flexibility in deck layout and detailing.



DIMENSIONS & PRICING

USD

Profile / grade	Dimensions	Quantity	Unit price
Standard stock	5/4 x 4 x 7'-12'	27,000 LF	\$1.99 / LF
Wide stock	5/4 x 8 x 6'-12'	3,750*	\$7.50 / LF

Prices and availability subject to confirmation. Freight, tax and delivery quoted separately.

*Quantity unit for 5/4 x 8 to confirm.



Thermo Ayous

EXTERIOR CLADDING

Warm thermally modified hardwood for exterior wall cladding and architectural surfaces.

- Lightweight timber is easy to handle on walls and overhead surfaces.
- Thermal modification improves resistance to fungal decay.
- Reduced moisture movement supports stable, consistent cladding lines.
- Warm caramel-brown tones create a calm, refined exterior appearance.



DIMENSIONS & PRICING

USD

Profile / grade	Dimensions	Quantity	Unit price
Cladding	1 x 6 x 4'-11'	4,000 LF	\$2.25 / LF

Prices and availability subject to confirmation. Freight, tax and delivery quoted separately.



Thermo Pine

EXTERIOR SIDING

Thermally modified pine siding stock in fixed 16-foot lengths.

- Thermal modification reduces shrinkage and swelling as humidity changes.
- Heat treatment improves decay resistance for exterior siding.
- Fixed 16-foot lengths support long, continuous siding runs.



DIMENSIONS & PRICING

USD

Profile / grade	Dimensions	Quantity	Unit price
Siding	1 x 6 x 16'	25,000 LF	\$1.85 / LF

Prices and availability subject to confirmation. Freight, tax and delivery quoted separately.




Western Red Cedar

KNOTTY T&G | SOFFIT & LINING

Knotty tongue-and-groove stock for warm overhead planes, soffits and covered exterior lining.

- Natural heartwood extractives provide decay resistance.
- Lightweight boards make overhead soffit and lining installation easier.
- Low shrinkage gives cedar good dimensional stability.
- Knotty grain brings warmth and traditional timber character to covered exterior spaces.



DIMENSIONS & PRICING

USD

Profile / grade	Dimensions	Quantity	Unit price
Knotty T&G	1 x 4 x 16'	1,700 LF	\$1.10 / LF

Prices and availability subject to confirmation. Freight, tax and delivery quoted separately.

ARCHITECTS & CONTRACTORS

TRADE INQUIRIES | indy ltd@gmail.com



Western Red Cedar

CLEAR VERTICAL GRAIN | BEVELED T&G | CLADDING & SOFFIT

Clear Vertical Grain Western Red Cedar with a beveled tongue-and-groove profile for cladding and soffits.

- Clear vertical grain creates smooth, consistent surfaces with warm cedar tones.
- Natural heartwood durability suits exterior cladding and soffits.
- Good dimensional stability helps maintain clean, consistent cladding lines.
- Lightweight timber machines easily for detailed exterior work.



ILLUSTRATIVE RENDERING

DIMENSIONS & PRICING

USD

Profile / grade	Dimensions	Quantity	Unit price
Clear VG / T&G	1 x 6 x 3'-10'	2,500 LF	\$2.95 / LF

Prices and availability subject to confirmation. Freight, tax and delivery quoted separately.



Alaskan Yellow Cedar

WP4 | APPEARANCE GRADE | CLADDING & SOFFIT

Appearance grade Alaskan Yellow Cedar with a WP4 V-groove profile for cladding and soffits.

- Pale yellow tones and fine grain create bright, refined architectural surfaces.
- Naturally durable heartwood resists fungal decay.
- Good dimensional stability helps maintain clean, consistent cladding lines.
- The WP4 V-groove profile adds definition to walls, soffits and ceilings.



ILLUSTRATIVE RENDERING

DIMENSIONS & PRICING

USD

Profile / grade	Dimensions	Available	Unit price
Appearance grade	1 x 6 x 4'-16'	45,000 LF	\$1.79 / LF

Prices and availability subject to confirmation. Freight, tax and delivery quoted separately.



Alaskan Yellow Cedar

EXTERIOR DECKING

Alaskan Yellow Cedar decking in a 5/4 x 6 profile and lengths from 4 to 20 feet.

- Natural heartwood durability supports long-term exterior deck use.
- Fine, uniform grain creates a smooth, welcoming timber surface.
- Low shrinkage and good dimensional stability help limit seasonal movement.
- Warm yellow tones and a broad length range suit relaxed coastal deck designs.



ILLUSTRATIVE RENDERING

DIMENSIONS & PRICING

USD

Profile / grade	Dimensions	Available	Unit price
Decking	5/4 x 6 x 4'-20'	45,000 LF	\$3.69 / LF

Prices and availability subject to confirmation. Freight, tax and delivery quoted separately.



Thermo Radiata Pine

BEVELED LAP | PRIMED 4 SIDES | PAINT GRADE

Thermally modified Radiata pine beveled lap siding, primed on all four sides for paint.

- Thermal modification improves dimensional stability and reduces moisture-related movement.
- Primed on all four sides for consistent preparation before painting.
- Beveled lap boards create crisp shadow lines and a classic coastal siding appearance.
- Fixed 16-foot lengths support long, continuous siding runs.



ILLUSTRATIVE RENDERING

DIMENSIONS & PRICING

USD

Profile / grade	Dimensions	Available	Unit price
Paint grade / primed	1 x 6 x 16'	72,000 LF	\$1.69 / LF

Prices and availability subject to confirmation. Freight, tax and delivery quoted separately.